



DLYY


SEALING SOLUTION

- WIPER SEAL

DALIAN YINGYU CO., LIMITED

NOK STANDARD


LBH WIPER SEAL



| SERIAL No. | d | D | h | SERIAL No. | d | D | h | SERIAL No. | d | D | h |
|------------|------|------|-----|------------|-----|-----|-----|------------|-----|-----|-----|
| CL0447C1 | 12.5 | 20.5 | 6 | CL0105C1 | 56 | 64 | 6.5 | CL0466C0 | 118 | 128 | 8 |
| CL0430C0 | 14 | 22 | 6 | CL0107C0 | 60 | 68 | 6.5 | CL0171C0 | 125 | 138 | 9.5 |
| CL0293C0 | 16 | 24 | 6 | CL0109C1 | 63 | 71 | 6.5 | CL0174C0 | 132 | 145 | 9.5 |
| CL0011C0 | 18 | 26 | 6 | CL0115C0 | 65 | 73 | 6.5 | CL0179C1 | 140 | 153 | 9.5 |
| CL0017C0 | 20 | 28 | 6 | CL0118C1 | 67 | 75 | 6.5 | CL0182C0 | 145 | 158 | 9.5 |
| CL0240C0 | 22 | 30 | 6 | CL0121C0 | 70 | 80 | 8 | CL0185C0 | 150 | 163 | 9.5 |
| CL0026C3 | 22.4 | 30.4 | 6 | CL0125C0 | 71 | 81 | 8 | CL0188C1 | 160 | 173 | 9.5 |
| CL0031C0 | 25 | 33 | 6 | CL0127C0 | 75 | 85 | 8 | CL0487C0 | 160 | 174 | 9.5 |
| CL0042C0 | 28 | 36 | 6 | CL0138C1 | 80 | 90 | 8 | CL0190C0 | 165 | 178 | 9.5 |
| CL0050C0 | 30 | 38 | 6.5 | CL0142C0 | 85 | 95 | 8 | CL0191C0 | 170 | 185 | 14 |
| CL0054C0 | 31.5 | 39.5 | 6.5 | CL0149C0 | 90 | 100 | 8 | CL0193C0 | 175 | 188 | 9.5 |
| CL0363C0 | 32 | 40 | 6.5 | CL0152C0 | 95 | 105 | 8 | CL0196C1 | 180 | 193 | 9.5 |
| CL0066C1 | 35 | 43 | 6.5 | CL0154C2 | 100 | 110 | 8 | CL0489C0 | 180 | 194 | 9.5 |
| CL0072C0 | 35.5 | 43.5 | 6.5 | CL0476C0 | 105 | 115 | 8 | CL0199C1 | 200 | 213 | 9.5 |
| CL0335C1 | 36 | 44 | 6.5 | CL0162C0 | 106 | 116 | 8 | CL0446C0 | 205 | 218 | 9.5 |
| CL0077C2 | 40 | 48 | 6.5 | CL0448C0 | 110 | 120 | 8 | CL0324C1 | 210 | 223 | 9.5 |
| CL0085C0 | 45 | 53 | 6.5 | CL0162C0 | 106 | 116 | 8 | CL0300C0 | 240 | 256 | 13 |
| CL0087C3 | 50 | 58 | 6.5 | CL0448C0 | 110 | 120 | 8 | CL0207C0 | 250 | 266 | 12 |
| CL0100C0 | 53 | 61 | 6.5 | CL0166C2 | 112 | 122 | 8 | CL0267C0 | 250 | 266 | 13 |
| CL0104C0 | 55 | 63 | 6.5 | CL0478C0 | 115 | 125 | 8 | CL0212C0 | 280 | 296 | 12 |

NOK STANDARD


LBI WIPER SEAL



| SERIAL No. | d | D | h | SERIAL No. | d | D | h |
|------------|------|------|-----|------------|-----|-----|------|
| FQ0014C0 | 20 | 28 | 6 | FQ0062C0 | 71 | 81 | 8 |
| FQ00651C0 | 22 | 30 | 6 | FQ0063C0 | 75 | 85 | 8 |
| FQ0018C0 | 25 | 33 | 6 | FQ0064C0 | 80 | 90 | 8 |
| FQ0023C0 | 28 | 36 | 6 | FQ0066C0 | 85 | 95 | 8 |
| FQ0025C1 | 30 | 38 | 6.5 | FQ0070C0 | 90 | 100 | 8 |
| FQ0568C1 | 32 | 40 | 6.5 | FQ0071C0 | 95 | 105 | 8 |
| FQ0031C1 | 35 | 43 | 6.5 | FQ0072C0 | 100 | 110 | 8 |
| FQ0034C0 | 35.5 | 43.5 | 6.5 | FQ0075C0 | 105 | 115 | 8 |
| FQ0281C1 | 38 | 46 | 6.5 | FQ0082C0 | 112 | 122 | 8 |
| FQ0035C1 | 40 | 48 | 6.5 | FQ0091C0 | 125 | 138 | 9.5 |
| FQ0039C1 | 45 | 53 | 6.5 | FQ0097C0 | 140 | 153 | 9.5 |
| FQ0041C0 | 50 | 58 | 6.5 | FQ0101C0 | 150 | 163 | 9.5 |
| FQ0045C1 | 55 | 63 | 6.5 | FQ0111C0 | 180 | 193 | 9.5 |
| FQ0048C1 | 56 | 64 | 6.5 | FQ0114C0 | 185 | 198 | 9.5 |
| FQ0049C1 | 60 | 68 | 6.5 | FQ0117C0 | 200 | 213 | 9.5 |
| FQ0054C0 | 63 | 71 | 6.5 | FQ0120C0 | 210 | 223 | 9.5 |
| FQ0057C1 | 65 | 73 | 6.5 | FQ0131C0 | 250 | 265 | 11.5 |
| FQ0059C0 | 70 | 80 | 8 | | | | |

NOK STANDARD


DSI WIPER SEAL



| SERIAL No. | d | D | h | SERIAL No. | d | D | h | SERIAL No. | d | D | h |
|------------|------|------|-----|------------|-----|-----|-----|------------|-----|-----|-----|
| FQ0014D0 | 20 | 28 | 6 | FQ0064D0 | 80 | 90 | 8 | FQ0106D0 | 170 | 183 | 9.5 |
| FQ0016D0 | 22.4 | 30.4 | 6 | FQ0066D0 | 85 | 95 | 8 | FQ0108D0 | 175 | 188 | 9.5 |
| FQ0018D0 | 25 | 33 | 6 | FQ0070D0 | 90 | 100 | 8 | FQ0111D0 | 180 | 193 | 9.5 |
| FQ0023D0 | 28 | 36 | 6 | FQ0071D0 | 95 | 105 | 8 | FQ0114D0 | 185 | 198 | 9.5 |
| FQ0025D0 | 30 | 38 | 6.5 | FQ0072D0 | 100 | 110 | 8 | FQ0115D0 | 190 | 203 | 9.5 |
| FQ0027D0 | 31.5 | 39.5 | 6.5 | FQ0075D0 | 105 | 115 | 8 | FQ0117D0 | 200 | 213 | 9.5 |
| FQ0031D0 | 35 | 43 | 6.5 | FQ0078D0 | 106 | 116 | 8 | FQ0120D0 | 210 | 223 | 9.5 |
| FQ0034D0 | 35.5 | 43.5 | 6.5 | FQ0079D0 | 110 | 120 | 8 | FQ0408D1 | 215 | 228 | 9.5 |
| FQ0035D0 | 40 | 48 | 6.5 | FQ0082D0 | 112 | 122 | 8 | FQ0123D0 | 220 | 233 | 9.5 |
| FQ0039D0 | 45 | 53 | 6.5 | FQ0085D0 | 118 | 128 | 8 | FQ0125D0 | 225 | 238 | 9.5 |
| FQ0041D0 | 50 | 58 | 6.5 | FQ0087D0 | 120 | 130 | 8 | FQ1127D0 | 230 | 243 | 9.5 |
| FQ0045D0 | 55 | 63 | 6.5 | FQ0091D0 | 125 | 138 | 9.5 | FQ0129D0 | 240 | 253 | 9.5 |
| FQ0048D0 | 56 | 64 | 6.5 | FQ0093D0 | 130 | 143 | 9.5 | FQ0130D0 | 250 | 263 | 9.5 |
| FQ0049D0 | 60 | 68 | 6.5 | FQ0095D0 | 132 | 145 | 9.5 | FQ0134D0 | 260 | 275 | 12 |
| FQ0054D0 | 63 | 71 | 6.5 | FQ0097D0 | 140 | 153 | 9.5 | FQ0135D0 | 270 | 285 | 12 |
| FQ0057D0 | 65 | 73 | 6.5 | FQ0099D0 | 145 | 158 | 9.5 | FQ0136D0 | 280 | 295 | 12 |
| FQ0059D0 | 70 | 80 | 8 | FQ0101D0 | 150 | 163 | 9.5 | FQ0138D0 | 290 | 305 | 12 |
| FQ0062D0 | 71 | 81 | 8 | FQ0103D0 | 155 | 168 | 9.5 | FQ0139D0 | 300 | 315 | 12 |
| FQ0063D0 | 75 | 85 | 8 | FQ0105D0 | 160 | 173 | 9.5 | | | | |

NOK STANDARD


DKI WIPER SEAL



| SERIAL No. | d | D | h | SERIAL No. | d | D | h | SERIAL No. | d | D | h |
|------------|----|----|----|------------|-----|-----|----|------------|-----|-----|----|
| FD0258A0 | 10 | 20 | 7 | FD3720A0 | 80 | 94 | 11 | FD4839A0 | 175 | 195 | 14 |
| FD0513A0 | 14 | 24 | 7 | FD3828A0 | 85 | 99 | 11 | FD4890A0 | 180 | 205 | 17 |
| FD0586A0 | 15 | 25 | 7 | FD3913A0 | 90 | 104 | 11 | FD4941E0 | 185 | 210 | 17 |
| FD0677A0 | 16 | 26 | 7 | FD3976A0 | 95 | 109 | 11 | FD4969A0 | 190 | 215 | 17 |
| FD0815A0 | 18 | 30 | 9 | FD4046A0 | 100 | 114 | 11 | FD5048A0 | 200 | 225 | 17 |
| FD0995A0 | 20 | 32 | 9 | FD4142A0 | 105 | 121 | 12 | FD5129E0 | 210 | 235 | 17 |
| FD1301A0 | 25 | 37 | 9 | FD4168A0 | 106 | 122 | 12 | FD5200A0 | 220 | 245 | 17 |
| FD1536A0 | 28 | 40 | 9 | FD4196A0 | 110 | 126 | 12 | FD5245F0 | 225 | 250 | 17 |
| FD1664A0 | 30 | 42 | 9 | FD4232A0 | 112 | 128 | 12 | FD5277A0 | 230 | 255 | 17 |
| FD1870A0 | 32 | 44 | 10 | FD4272A0 | 115 | 131 | 12 | FD5336A0 | 240 | 265 | 17 |
| | 34 | 46 | 10 | FD4317A0 | 118 | 134 | 12 | FD5379E0 | 245 | 270 | 17 |
| FD2041A0 | 35 | 47 | 10 | FD4326A0 | 120 | 136 | 12 | FD5396A0 | 250 | 275 | 17 |
| FD2217A0 | 38 | 50 | 10 | FD4393A0 | 125 | 141 | 12 | FD5451E0 | 260 | 285 | 17 |
| FD2342A0 | 40 | 52 | 10 | FD4438A0 | 130 | 146 | 12 | FD5480A0 | 265 | 290 | 17 |
| FD2633A0 | 45 | 57 | 10 | FD4476A0 | 132 | 148 | 12 | FD5556A0 | 280 | 310 | 22 |
| FD2831A0 | 50 | 62 | 10 | FD4492A0 | 135 | 155 | 14 | FD5584E0 | 290 | 320 | 22 |
| FD3033A0 | 55 | 69 | 11 | FD4533A0 | 140 | 160 | 14 | FD5622A0 | 300 | 330 | 22 |
| FD3089A0 | 56 | 70 | 11 | FD4578A0 | 145 | 165 | 14 | | | | |
| FD3187A0 | 60 | 74 | 11 | FD4615A0 | 150 | 170 | 14 | | | | |
| FD3313A0 | 63 | 77 | 11 | FD4663E0 | 155 | 175 | 14 | | | | |
| FD3381A0 | 65 | 79 | 11 | FD4704A0 | 160 | 180 | 14 | | | | |
| FD3493A0 | 70 | 84 | 11 | FD4733A0 | 165 | 185 | 14 | | | | |
| FD3596A0 | 75 | 89 | 11 | FD4785A0 | 170 | 190 | 14 | | | | |

NOK STANDARD

DKB WIPER SEAL




| SERIAL No. | d | D | h | SERIAL No. | d | D | h | SERIAL No. | d | D | h |
|------------|----|----|----|------------|-----|-----|----|------------|-----|-----|----|
| | 14 | 22 | 7 | AR3187G5 | 60 | 74 | 11 | AR4785E5 | 170 | 190 | 14 |
| AR0513F5 | 14 | 24 | 7 | AR3313F5 | 63 | 77 | 11 | AR4839F5 | 175 | 195 | 14 |
| AR0677E5 | 16 | 26 | 7 | AR3381F5 | 65 | 79 | 11 | | 180 | 200 | 14 |
| AR0815F5 | 18 | 30 | 9 | AR3493F5 | 70 | 84 | 11 | AR4890G5 | 180 | 205 | 17 |
| AR0995E1 | 20 | 32 | 9 | AR3596G5 | 75 | 89 | 11 | | 190 | 215 | 17 |
| | 22 | 32 | 9 | AR3720I5 | 80 | 94 | 11 | AR5048G5 | 200 | 225 | 17 |
| AR1121F5 | 22 | 34 | 9 | AR3828F5 | 85 | 99 | 11 | | 210 | 230 | 16 |
| AR1301H5 | 25 | 37 | 9 | AR3913E0 | 90 | 104 | 11 | | 210 | 235 | 17 |
| AR1536F5 | 28 | 40 | 9 | AR3976G5 | 95 | 109 | 11 | | 220 | 245 | 17 |
| AR1664F5 | 30 | 42 | 9 | AR4046G5 | 100 | 114 | 11 | AR5245F5 | 225 | 250 | 17 |
| | 30 | 47 | 10 | AR4142F5 | 105 | 121 | 12 | | 230 | 255 | 17 |
| AR1870F5 | 32 | 44 | 10 | AR4196F5 | 110 | 126 | 12 | | 240 | 265 | 17 |
| | 32 | 52 | 11 | AR4232F5 | 112 | 128 | 12 | | 245 | 270 | 17 |
| AR2041E5 | 35 | 47 | 10 | AR4272F5 | 115 | 131 | 12 | AR5396F5 | 250 | 275 | 17 |
| AR1418E5 | 36 | 48 | 10 | AR4326E5 | 120 | 136 | 12 | | 260 | 285 | 17 |
| BR2342E5 | 40 | 52 | 10 | AR4393F5 | 125 | 141 | 12 | | 265 | 290 | 17 |
| | 40 | 60 | 11 | | 130 | 146 | 12 | | 280 | 310 | 22 |
| AR2633G5 | 45 | 57 | 10 | AR4533G5 | 140 | 160 | 14 | | 290 | 320 | 22 |
| AR2831F5 | 50 | 62 | 10 | AR4578E5 | 145 | 165 | 14 | | 300 | 330 | 22 |
| | 50 | 72 | 11 | AR4615E5 | 150 | 170 | 14 | | | | |
| AR3033F5 | 55 | 69 | 11 | AR4663E5 | 155 | 175 | 14 | | | | |
| AR3089G5 | 56 | 70 | 11 | AR4704G5 | 160 | 180 | 14 | | | | |



NOK STANDARD


DWI WIPER SEAL



| SERIAL No. | d | D | h |
|------------|-----|-----|----|
| FD2342G0 | 40 | 52 | 7 |
| FD2633H0 | 45 | 57 | 7 |
| FD2831F0 | 50 | 62 | 7 |
| FD3033F0 | 55 | 69 | 7 |
| FD3187H0 | 60 | 74 | 8 |
| FD3313E0 | 63 | 77 | 8 |
| FD3381I0 | 65 | 79 | 8 |
| FD3493I0 | 70 | 84 | 8 |
| FD3596F0 | 75 | 89 | 8 |
| FD3720G0 | 80 | 94 | 8 |
| FD3828H0 | 85 | 99 | 8 |
| FD3913F0 | 90 | 104 | 8 |
| FD4046F0 | 100 | 114 | 8 |
| FD4196F0 | 110 | 126 | 9 |
| FD4326F0 | 120 | 136 | 9 |
| FD4438G0 | 130 | 146 | 9 |
| FD4533G0 | 140 | 160 | 10 |

VALQUA STANDARD

DHS WIPER SEAL



| SERIAL No. | d | D | h | SERIAL No. | d | D | h |
|------------|------|------|-----|------------|-----|-----|-----|
| DHS-11.2 | 11.2 | 19.2 | 6 | DHS-63 | 63 | 71 | 6.5 |
| DHS-14 | 14 | 22 | 6 | DHS-65 | 65 | 73 | 6.5 |
| DHS-16 | 16 | 24 | 6 | DHS-67 | 67 | 75 | 6.5 |
| DHS-18 | 18 | 26 | 6 | DHS-70 | 70 | 80 | 8 |
| DHS-20 | 20 | 28 | 6 | DHS-71 | 71 | 81 | 8 |
| DHS-22.4 | 22.4 | 30.4 | 6 | DHS-75 | 75 | 85 | 8 |
| DHS-23.5 | 23.5 | 31.5 | 6 | DHS-80 | 80 | 90 | 8 |
| DHS-25 | 25 | 33 | 6 | DHS-85 | 85 | 95 | 8 |
| DHS-28 | 28 | 36 | 6 | DHS-90 | 90 | 100 | 8 |
| DHS-30 | 30 | 38 | 6.5 | DHS-98 | 98 | 108 | 8 |
| DHS-31.5 | 31.5 | 39.5 | 6.5 | DHS-100 | 100 | 110 | 8 |
| DHS-32 | 32 | 40 | 6.5 | DHS-112 | 112 | 122 | 8 |
| DHS-35 | 35 | 43 | 6.5 | DHS-125 | 125 | 138 | 9.5 |
| DHS-35.5 | 35.5 | 43.5 | 6.5 | DHS-136 | 136 | 149 | 9.5 |
| DHS-38 | 38 | 46 | 6.5 | DHS-140 | 140 | 153 | 9.5 |
| DHS-40 | 40 | 48 | 6.5 | DHS-145 | 145 | 158 | 9.5 |
| DHS-45 | 45 | 53 | 6.5 | DHS-160 | 160 | 174 | 9.5 |
| DHS-50 | 50 | 58 | 6.5 | DHS-165 | 165 | 179 | 9.5 |
| DHS-53 | 53 | 61 | 6.5 | DHS-180 | 180 | 194 | 9.5 |
| DHS-55 | 55 | 63 | 6.5 | DHS-200 | 200 | 214 | 9.5 |
| DHS-56 | 56 | 64 | 6.5 | DHS-204 | 204 | 218 | 9.5 |
| DHS-60 | 60 | 68 | 6.5 | DHS-230 | 230 | 244 | 9.5 |



DLYY

DALIAN YINGYU CO., LIMITED

Is a leading designer and manufacturer of seals and rubber products with over 20 years experience. We are serving the needs of countless industries from bearing and automobile to valve and machine. The products are exporting to many countries and well received. There are more than thousands of clients keeping in touch with us.

Our standard products cover most kinds of seals from o ring kit, o ring, X ring, rubber cord to V ring, oil seal, wiper seal, u ring, rod seal, piston seal. We can produce the custom molded rubber products as per customer's drawing or design. The material can be NBR, HNBR, SI, VITON, EPDM, CR, NR, PU, SBR, FVMQ, etc. To meet the requirement of different operation condition and environment protection standard, there is rubber with special certification approved, such as FDA, RoHS, SGS, UL, NSF, WRAS, and REACH etc., which can satisfy clients from different countries. And we are also the ISO9001 certification factory.

VALUED CUSTOMERS

